



**Permissible fuels for each engine type
according to emission standard Euro 6
– Truck –**

This publication was issued by:

MAN Truck & Bus SE
Dachauer Straße 667
80995 München
Germany
Telephone +49 89 1580-0
www.mantruckandbus.com

Version: 02.2021

We reserve the right to make technical modifications in the course of further development.

© 2021 MAN Truck & Bus SE

| Diesel engine | Engine type | Emission standard | Permissible fuels | Key: | |
|---------------|-------------|-------------------|-------------------|----------|--------------------------|
| | | | | EN 590 | = mineral diesel fuel |
| D0834 | D0834LFL66 | Euro 6b | EN 590 | EN 14214 | = FAME fuel (biodiesel) |
| | D0834LFL67 | Euro 6b | EN 590 | EN 15940 | = paraffinic diesel fuel |
| | D0834LFL68 | Euro 6b | EN 590 | | |
| | D0834LFL75 | Euro 6b | EN 590 | | |
| | D0834LFL76 | Euro 6b | EN 590 | | |
| | D0834LFL77 | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFL78 | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFL79 | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFL80 | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFL81 | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFL82 | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFLAA | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFLAB | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFLAC | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFLAD | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFLAE | Euro 6c | EN 590, EN 15940 | | |
| | D0834LFLAF | Euro 6d | EN 590, EN 15940 | | |
| | D0834LFLAG | Euro 6d | EN 590, EN 15940 | | |
| | D0834LFLAH | Euro 6d | EN 590, EN 15940 | | |
| | D0834LFLAI | Euro 6d | EN 590, EN 15940 | | |
| | D0834LFLAJ | Euro 6d | EN 590, EN 15940 | | |
| | D0834LFLAK | Euro 6d | EN 590, EN 15940 | | |
| | D0834LFLAQ | Euro 6e | EN 590, EN 15940 | | |
| | D0834LFLAR | Euro 6e | EN 590, EN 15940 | | |
| | D0834LFLAS | Euro 6e | EN 590, EN 15940 | | |
| | D0834LFLAT | Euro 6e | EN 590, EN 15940 | | |
| D0834LFLAU | Euro 6e | EN 590, EN 15940 | | | |
| D0836 | D0836LFL66 | Euro 6b | EN 590 | | |
| | D0836LFL67 | Euro 6b | EN 590 | | |
| | D0836LFL68 | Euro 6b | EN 590 | | |
| | D0836LFL75 | Euro 6b | EN 590 | | |
| | D0836LFL76 | Euro 6b | EN 590 | | |
| | D0836LFL77 | Euro 6b | EN 590 | | |
| | D0836LFL79 | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFL80 | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFL81 | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFL83 | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFL84 | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFL85 | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAA | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAB | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAC | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAD | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAE | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAF | Euro 6c | EN 590, EN 15940 | | |
| | D0836LFLAN | Euro 6d | EN 590, EN 15940 | | |
| | D0836LFLAO | Euro 6d | EN 590, EN 15940 | | |

| Diesel engine | Engine type | Emission standard | Permissible fuels | Key: | |
|---------------|-------------|-------------------|-------------------|----------|--------------------------|
| | | | | EN 590 | = mineral diesel fuel |
| D0836 | D0836LFLAP | Euro 6d | EN 590, EN 15940 | EN 14214 | = FAME fuel (biodiesel) |
| | D0836LFLAQ | Euro 6d | EN 590, EN 15940 | EN 15940 | = paraffinic diesel fuel |
| | D0836LFLAR | Euro 6d | EN 590, EN 15940 | | |
| | D0836LFLAS | Euro 6d | EN 590, EN 15940 | | |
| | D0836LFLBI | Euro 6e | EN 590, EN 15940 | | |
| | D0836LFLBJ | Euro 6e | EN 590, EN 15940 | | |
| | D0836LFLBK | Euro 6e | EN 590, EN 15940 | | |
| | D0836LFLBL | Euro 6e | EN 590, EN 15940 | | |
| | D0836LFLBM | Euro 6e | EN 590, EN 15940 | | |
| | D0836LFLBN | Euro 6e | EN 590, EN 15940 | | |
| D1556 | D1556LF07 | Euro 6d | EN 590, EN 15940 | | |
| | D1556LF08 | Euro 6d | EN 590, EN 15940 | | |
| | D1556LF09 | Euro 6d | EN 590, EN 15940 | | |
| | D1556LF10 | Euro 6d | EN 590, EN 15940 | | |
| | D1556LF11 | Euro 6d | EN 590, EN 15940 | | |
| | D1556LF12 | Euro 6d | EN 590, EN 15940 | | |
| | D1556LF17 | Euro 6e | EN 590, EN 15940 | | |
| | D1556LF18 | Euro 6e | EN 590, EN 15940 | | |
| | D1556LF19 | Euro 6e | EN 590, EN 15940 | | |
| | D1556LF20 | Euro 6e | EN 590, EN 15940 | | |
| | D1556LF21 | Euro 6e | EN 590, EN 15940 | | |
| | D1556LF22 | Euro 6e | EN 590, EN 15940 | | |
| D2066 | D2066LF61 | Euro 6b | EN 590 | | |
| | D2066LF67 | Euro 6b | EN 590 | | |
| | D2066LF68 | Euro 6b | EN 590 | | |
| | D2066LF76 | Euro 6b | EN 590 | | |
| | D2066LF77 | Euro 6b | EN 590 | | |
| | D2066LF78 | Euro 6b | EN 590 | | |
| | D2066LF80 | Euro 6a | EN 590 | | |
| | D2066LF81 | Euro 6a | EN 590 | | |
| | D2066LF83 | Euro 6a | EN 590 | | |
| | D2066LF84 | Euro 6a | EN 590 | | |
| | D2066LF85 | Euro 6c | EN 590, EN 15940 | | |
| | D2066LF86 | Euro 6c | EN 590, EN 15940 | | |
| | D2066LF92 | Euro 6c | EN 590, EN 15940 | | |
| | D2066LF93 | Euro 6c | EN 590, EN 15940 | | |
| D2676 | D2676LF25 | Euro 6b | EN 590 | | |
| | D2676LF26 | Euro 6b | EN 590 | | |
| | D2676LF35 | Euro 6b | EN 590 | | |
| | D2676LF36 | Euro 6b | EN 590 | | |
| | D2676LF45 | Euro 6a | EN 590, EN 15940 | | |
| | D2676LF46 | Euro 6a | EN 590, EN 15940 | | |
| | D2676LF47 | Euro 6a | EN 590, EN 15940 | | |
| | D2676LF48 | Euro 6a | EN 590, EN 15940 | | |
| | D2676LF49 | Euro 6a | EN 590, EN 15940 | | |
| | D2676LF50 | Euro 6a | EN 590, EN 15940 | | |
| | D2676LF51 | Euro 6c | EN 590, EN 15940 | | |

| Diesel engine | Engine type | Emission standard | Permissible fuels | Key: | |
|---------------|-------------|-------------------|-------------------------------|----------|--------------------------|
| | | | | EN 590 | = mineral diesel fuel |
| | | | | EN 14214 | = FAME fuel (biodiesel) |
| | | | | EN 15940 | = paraffinic diesel fuel |
| D2676 | D2676LF52 | Euro 6c | EN 590, EN 15940 | | |
| | D2676LF53 | Euro 6c | EN 590, EN 15940 | | |
| | D2676LF54 | Euro 6a | EN 590, EN 14214 ¹ | | |
| | D2676LF55 | Euro 6a | EN 590, EN 14214 ¹ | | |
| | D2676LF56 | Euro 6a | EN 590, EN 14214 ¹ | | |
| | D2676LF57 | Euro 6a | EN 590, EN 14214 ¹ | | |
| | D2676LF58 | Euro 6a | EN 590, EN 14214 ¹ | | |
| | D2676LF63 | Euro 6c | EN 590, EN 14214 ¹ | | |
| | D2676LF64 | Euro 6c | EN 590, EN 14214 ¹ | | |
| | D2676LF65 | Euro 6c | EN 590, EN 14214 ¹ | | |
| | D2676LF66 | Euro 6c | EN 590, EN 15940 | | |
| | D2676LF67 | Euro 6c | EN 590, EN 15940 | | |
| | D2676LF68 | Euro 6c | EN 590, EN 15940 | | |
| | D2676LF78 | Euro 6d | EN 590, EN 15940 | | |
| | D2676LF79 | Euro 6d | EN 590, EN 15940 | | |
| | D2676LF80 | Euro 6d | EN 590, EN 15940 | | |
| | D2676LF81 | Euro 6d | EN 590, EN 14214 ¹ | | |
| | D2676LF82 | Euro 6d | EN 590, EN 14214 ¹ | | |
| | D2676LF83 | Euro 6d | EN 590, EN 14214 ¹ | | |
| | D2676LF84 | Euro 6d | EN 590, EN 15940 | | |
| | D2676LF85 | Euro 6d | EN 590, EN 15940 | | |
| | D2676LF86 | Euro 6d | EN 590, EN 15940 | | |
| | D2676LFAB | Euro 6d | EN 590, EN 15940 | | |
| | D2676LFAE | Euro 6d | EN 590, EN 15940 | | |
| | D2676LFAF | Euro 6e | EN 590, EN 15940 | | |
| | D2676LFAI | Euro 6e | EN 590, EN 15940 | | |
| | D2676LFAJ | Euro 6e | EN 590, EN 15940 | | |
| | D2676LFAK | Euro 6e | EN 590, EN 15940 | | |
| | D2676LFAL | Euro 6e | EN 590, EN 15940 | | |
| | D2676LFAM | Euro 6e | EN 590, EN 14214 ¹ | | |
| | D2676LFAN | Euro 6e | EN 590, EN 14214 ¹ | | |
| | D2676LFAO | Euro 6e | EN 590, EN 14214 ¹ | | |
| D2676LFAP | Euro 6e | EN 590, EN 15940 | | | |
| D2676LFAQ | Euro 6e | EN 590, EN 15940 | | | |
| D2676LFAS | Euro 6e | EN 590, EN 15940 | | | |
| D3876 | D3876LF01 | Euro 6b | EN 590 | | |
| | D3876LF02 | Euro 6b | EN 590 | | |
| | D3876LF03 | Euro 6b | EN 590 | | |
| | D3876LF04 | Euro 6b | EN 590 | | |
| | D3876LF05 | Euro 6b | EN 590 | | |
| | D3876LF06 | Euro 6b | EN 590 | | |
| | D3876LF07 | Euro 6c | EN 590, EN 15940 | | |
| | D3876LF08 | Euro 6c | EN 590, EN 15940 | | |
| | D3876LF09 | Euro 6c | EN 590, EN 15940 | | |

¹ In the case of alternating operation with EN 14214 and EN 590, the restrictions and regulations are the same as those that apply to continuous operation with EN 14214, see maintenance and service product recommendation.

| Diesel engine | Engine type | Emission standard | Permissible fuels | Key: | | |
|---------------|-------------|-------------------|-------------------|----------|---|------------------------|
| | | | | EN 590 | = | mineral diesel fuel |
| D3876 | D3876LF10 | Euro 6d | EN 590, EN 15940 | EN 14214 | = | FAME fuel (biodiesel) |
| | D3876LF11 | Euro 6d | EN 590, EN 15940 | EN 15940 | = | paraffinic diesel fuel |
| | D3876LF12 | Euro 6d | EN 590, EN 15940 | | | |
| | D3876LF16 | Euro 6e | EN 590, EN 15940 | | | |
| | D3876LF17 | Euro 6e | EN 590, EN 15940 | | | |
| | D3876LF18 | Euro 6e | EN 590, EN 15940 | | | |